

How to Learn an Algorithm

Tom Rochette <tom.rochette@coreteks.org>

August 30, 2025 — [861fb9d0](#)

0.1 Context

0.2 Learned in this study

0.3 Things to explore

1 Overview

- J. Good (1965): Informal remarks on an “intelligence explosion” through recursively self-improving (RSI) “super-intelligences”
- 1987: First concrete RSI: Genetic programming recursively applied to itself, to obtain meta-GP and meta-meta-GP
- 1997: Reinforcement learning: Lifelong meta-learning with self-modifying policies
 - 2 agents, 2 doors, 2 keys
 - Through recursive self-modifications only, went from 300000 steps per trial down to 5000
- A program is constructed such that it has a probability distribution over the actions/functions it should run at any time t
- Some functions amongst this program are specifically designed to modify the probability distribution themselves, which will influence the future probabilistic program behavior
- How can we make sure that this self-referential system learn “useful” modifications?
- An algorithm is used to verify that the reward for the last $[X, \text{now}]$ time steps has been higher than the reward for the previous $[X - (\text{now} - X), X]$ time steps
 - If it is superior, then the newer program is better
 - If it is not, then we revert to the previous program
- 2004: Optimal Ordered Problem Solver (OOPS): Time-optimal incremental search and transfer learning in program space
 - Branches of search tree are program prefixes)

